

P/N	Description	Price
SP200RSW	10/100Mbps Fast Ethernet LAN Adapter ,PCI Adapter With Wake-On-LAN	68,000
SP2010B	100M Ethernet Fiber Adapter,PCI,SC Connector	840,000

### 1000Mbps Ethernet LAN Adapter

SP2612R	10/100/1000M Gigabit Ethernet Adapter, 32-bit PCI, RJ45.	128,000
SP2612E	Gigabit PCI-Express Ethernet Adapter.	300,000
SP160TA	10/100M EtherFast LAN Adapter, Card Bus.	240,000
SP100KD	56K Data/Fax Modem, V.92/K56FLEX, PCMCIA.	590,000

### PoE Switch

SP600P4	6-Port 10/100M Switch with 4 PoE, total 60 watts, IEEE 802.3af, Pre-802.3at, Per-port PoE On/Off, High power delivery 48/30/20/10, 4W for 1/2/3/4 PDs.	1,210,000
SP600PWS	4-Port Web Smart Switch with 4-Port POE, Total 122 Watts.	2,900,000
SP6016P8	16-Port 10/100M PoE Switch with 4-Port PoE, Total 60 Watts.	2,880,000
SP1824P	24-Port 10/100M Managed PoE Switch full power (400w), with 4-Port Shared RJ-45/SFP Gigabit, LACP, Spanning Tree, 802.1Q-in-Q VLAN, 802.1P QoS, 802.1X, SNMP.	6,900,000

### 10/100 Mbps N-way Auto-Negotiation Switch

SP600K	6-Port 10/100M Switch, External Power.	147,000
SP608K	4-Port 10/100M Switch, External Power.	170,000
SP608EB	4-Port 10/100M Switch, Internal Power, Metallic Case.	330,000
SP616B	16-Port 10/100M Switch, Desktop, External Power.	450,000

<b>SP116EB</b>	16-Port 10/100M Switch, Desktop, Internal power.	50,000
<b>SP119</b>	Bracket for 116EB	35,000
<b>SP116R</b>	16-Port 10/100M Switch, 19" Rack-Mount.	55,000
<b>SP124EA</b>	24-Port 10/100M Switch, Desktop with 19" Rack-Mounting Kit, Internal Power.	695,000
<b>SP124R</b>	24-Port 10/100M Switch, 19" Rack-Mount.	88,000
<b>SP124</b>	24-Port 10/100M Smart Switch, Support VLAN and Port Trunk, Console and Web-Smart Management.	1,350,000

### **10/100/1000 Mbps Gigabit or Management Ethernet Switch**

<b>SP117</b>	10/100M Modular Smart Switch, 2 Slots For M200 Series Modules and 1 Slot For M320 Series Modules, up to 12 Ports, VLAN, Port Trunk, Console Management.	3,600,000
<b>SP1626F</b>	24-Port Managed Fiber Switch with 2 Slots for 8-Port 100Base-FX Module and 2-Port Shared Mini-GBIC, 802.1Q-in-P VLAN, 802.3AD LACP, 802.1X Security,SNMP.	7,950,000
<b>SP102WS</b>	8-Port 10/100M + 8-Port Gigabit Web Smart Switch with 2 Combo Mini-GBIC Ports, 802.1Q VLAN, 802.1P Priority Queues.	4,750,000
<b>SP110A</b>	8-Port Gigabit Unmanaged Switch.	545,000
<b>SP109B</b>	24-Port 10/100M Web Smart Switch, with 2 RJ-45 10/100/1000M Ports, Support VLAN and Port-Trunk, Web-based Management.	1,680,000
<b>SP109C</b>	24-Port 10/100M Switch, with 2-Ports RJ-45 10/100/1000M.	1,330,000
<b>SP110AWS</b>	8-Port Gigabit Smart Switch, Support VLAN and Port Trunk, Console Management.	1,290,000
<b>SP184C</b>	Gigabit Ethernet Switch 24 port of 10/100/1000Mbps ,Port Trunking , VLAN Group , Console and bandwidth Management with 8 shared slots	3,100,000
<b>SP114AWS</b>	8-Port Gigabit Web Smart Switch, with 8 Shared SFP Slots	12,700,000

<b>SP1676C</b>	16-Port 10/100/1000 Mbps Gigabit Web Smart Switch with 4 Shared mini-GBIC Slots, Support 802.1Q VLAN, Port Trunk, 802.1P QoS and SNMP V1.	2,290,000
<b>SP1678A</b>	24-Port 10/100M Managed Switch,with 2-Port RJ-45 Gigabit and 2 Shared SFP Slots,VLAN,LACP,Port Mirror,Spanning Tree, 802.1x,Virtual Stacking, SNMP.	3,190,000
<b>M363A</b>	SFP 1,25G, 850nm, Multimode,LC Connector,500M for Gigabit SFP Slot.	520,000
<b>M363B-10</b>	1000BASE-LX mini-GBIC Module, Single Mode, 10 KM, for SP1676A/SP1676C/SP1676D/SP1684A/SP1684C/SP1684D/SP1678A.	1,200,000
<b>SP1684A</b>	24-Port Gigabit Managed Switch,with 2 Shared Mini-GBIC, 802.1QVLAN, Link Aggregation, 802.1D/W Spanning Tree, 802.1x Security,SNMP.	6,900,000
<b>SP1684F</b>	24-Port 10/100M Management Switch.Provide 24 Gigabit ports, 8*RJ-45 and 16*mini-GBIC slots	8,900,000
<b>SP1684F</b>	24 SFP Slots Gigabit Layer 2+ Managed Switch with 4 Shared GbE Ports, Enhanced Security.	10,500,000

## **Industrial Ethernet Switch**

### **Managed Industrial Awitch**

<b>SP1308H</b>	8-Port 10/100Mbps Industrial Switch, Wide-Temperature(Harden), -40~70°C, Managed.	6,210,000
<b>SP1310/C2</b>	8-Port 10/100Mbps+2-Port 10/100/1000T/Mini-GBIC Industrial Switch, -10~60°C, Managed.	6,210,000

### **Unmanaged Industrial Awitch**

<b>SP1006IS2</b>	4-Port 10/100Mbps+2-Port 100Mbps Fiber Industrial Switch, -10~60°C, Unmanaged, SC/SM30KM.	3,120,000
<b>SP1006IS1</b>	4-Port 10/100Mbps+1-Port 100Base-FX Industrial Switch, Unmanaged, SC/SM, Plastic Case, -10~60°C	2,360,000
<b>SP1008I</b>	8-Port 10/100Mbps Industrial Switch, -10~60°C, Unmanaged.	1,090,000
<b>SP1108H</b>	8-Port 10/100/1000Mbps Industrial Switch, Wide-Temperature(Harden), -40~70°C, Unmanaged.	3,060,000
<b>SP1108I</b>	8-Port 10/100/1000Mbps Industrial Switch, -10~60°C, Unmanaged.	2,610,000

## Industrial SFP Module

<b>M368A</b>	SFP 1,20G, 800nm, Multimode, LC Connector, 000M, Wide-Temperature(Harden), -40~80°C.	730,000
<b>M368A-2</b>	SFP 1,20G, 1310nm, Multimode, LC Connector, 2KM, Wide-Temperature(Harden), -40~80°C.	1,600,000
<b>M368AL</b>	SFP 1,20G, 800nm, Multimode, LC Connector, 000M, Industrial-grade, -20~80°C.	690,000
<b>M368B-10</b>	SFP 1,20G, 1310nm, Single Mode, LC Connector, 10KM, Wide-Temperature(Harden), -40~80°C.	870,000
<b>M368B-20</b>	SFP 1,20G, 1310nm, Single Mode, LC Connector, 20KM, Wide-Temperature(Harden), -40~80°C.	1,100,000
<b>M368B-40</b>	SFP 1,20G, 1310nm, Single Mode, LC Connector, 40KM, Wide-Temperature(Harden), -40~80°C.	2,020,000
<b>M368B-60</b>	SFP 1,20G, 1310nm, Single Mode, LC Connector, 60KM, Wide-Temperature(Harden), -40~80°C.	3,130,000
<b>M368B-80</b>	SFP 1,20G, 1310nm, Single Mode, LC Connector, 80KM, Wide-Temperature(Harden), -40~80°C.	4,160,000

## Mobile Security Control And Hot Spot Gateway

<b>SP1900</b>	Wireless LAN Switch, 2 10/100M WAN Ports, 2 10/100M LAN Ports, 1 Console Port, Support IEEE 802.1x, IEEE 802.1Q VLAN and IEEE 802.3 AD.	3,860,000
<b>SP1910</b>	Network Access Controller, 2 10/100M WAN Ports, 8 10/100M LAN Ports, 1 Console Port, Easy Management over Existing Wired and Wireless Network.	9,600,000
<b>M913</b>	Ticket Printer For SP913 Hotspot Gateway.	3,080,000

## Print Server

<b>SP766</b>	10/100Mbps Fast Ethernet Print Server, 1 Parallel ports & 2 Port USB	960,000
<b>SP706</b>	10/100Mbps Print Server, 1 USB 2.0 Print Port.	090,000
<b>SP781</b>	10/100M Multi-Function Print Server, 1 10/100M Ethernet Port, 1 USB (2.0) Port.	680,000
<b>SP781W</b>	0.4M Wireless Multi-Function Print Server, 1 USB(2.0) Port.	720,000

## Wireless LAN Solutions

<b>SP<sup>9.7</sup>GP</b>	Wireless LAN USB Adapter, IEEE 802.11b/g, 20dBm Output Power, 0dBi Omni-antenna, Magnetic Pad.	290,000
<b>SP<sup>9.7</sup>GK</b>	0.5M Wireless LAN USB Adapter, 802.11g, USB 2.0, Built-in Antenna.	160,000
<b>SP<sup>9.7</sup>GK</b>	0.5M Wireless LAN PCI Adapter, 802.11b/g, Detachable Antenna.	170,000
<b>SP<sup>9.7</sup>NL</b>	11N Wireless LAN USB Adapter, Compliant with 802.11b/g/n, Internal Antenna.	170,000
<b>SP<sup>9.7</sup>NS</b>	Super mini 11N Wireless LAN USB Adapter, IEEE 802.11b/g/n, 100Mbps, Internal Antenna, Tiny Size Design.	170,000
<b>SP<sup>9.12</sup></b>	11M High-Power Wireless LAN Inter-Building Bridge, 802.11b, Detachable Antenna, PoE (IEEE 802.3af), WDS.	1,850,000
<b>SP<sup>9.12</sup>GH</b>	0.5M High-Power Wireless LAN Inter-Building Bridge, 802.11b/g, Detachable Antenna, PoE (IEEE 802.3af), WDS.	1,790,000
<b>SP<sup>9.7</sup>NE</b>	11N Wireless LAN PCI Adapter, IEEE 802.11N Standard, 300MBPS Transmission Rate, 2 Detachable Antennas	290,000
<b>SP<sup>9.12</sup>NE</b>	11N Wireless LAN Broadband Router, IEEE 802.11b/g/n, 300Mbps, 4-ports Switch, 2 R-SMA Detachable Antennas.	520,000
<b>SP<sup>9.12</sup>NL</b>	11N Wireless LAN Broadband Router, IEEE 802.11b/g/n, 100Mbps, 4-ports Switch, 1 R-SMA Detachable Antennas.	390,000
<b>SP<sup>9.12</sup></b>	WLAN Outdoor CPE, 1.5dBi Embedded Antenna, 20dBm Output Power.	790,000
<b>SP<sup>9.12</sup>N</b>	100M Wireless Outdoor Manageable CPE with SNMP v.3, 802.11b/g/n, 400mW Output Power, 1dBi Embedded Antenna	1,060,000
<b>SP<sup>9.10</sup></b>	WLAN Outdoor CPE, 802.11a/n, 0.5/100Mbps, 0.5GHz, Embedded Antenna 1.5dBi, 20dBm Outdoor Power.	1,200,000
<b>SP<sup>9.10-1.000</sup></b>	11M WLAN Outdoor AP with Bridge, 1W, Compliant with The IEEE 802.11B Standard, Support POE Function, Provide 64/128-bit WEP, WPA AND WPA2.	8,900,000
<b>SP<sup>9.10</sup>A</b>	Wireless LAN Outdoor AP/Bridge, IEEE 802.11a/b/g, PoE, 11a 200mW, 11b/g 0.5mW.	7,100,000
<b>SP<sup>9.10</sup>G</b>	0.5M Wireless LAN Outdoor Bridge, 802.11b/g, PoE (IEEE 802.3af), 802.11b/g, PoE (IEEE 802.3af), Weather-proof (IP67) SNMP/Web/Console/Telnet.	7,010,000
<b>SP<sup>9.20</sup>MA/12</b>	Omni-Directional Antenna, 1.5dBi, N-Jack Connector, 2.4GHz	990,000

<b>SP920MA/10E</b>	Omni-Directional Antenna, 10 dBi, N-Jack connector with Tube-End Mounting Kits and Antenna Cable C920B-1. for 0.8GHz	930,000
<b>SP920PA2-24</b>	2pieces pack, Directional Grid Antenna, 24 dBi, N-Jack Connector with Tube-End Mounting Kits and Antenna Cable C920B-1, 2.4GHz.	790,000
<b>SP920LA-18E</b>	Directional Panel Antenna, 18 dBi, N-Type Connector with Wall Mounting Kits and C920B-1, 0.8 GHz - 0.8 GHz (Outdoor).	1,440,000
<b>SP920LA-12</b>	Directional Panel Antenna, 12 dBi, N-Type Connector with Wall Mounting Kits and C920B-1, 2.4GHz.	680,000
<b>SP920K-7</b>	Omni-directional Antenna, 7dBi,R/SMA Plug, 2.4GHz.	100,000
<b>SP920FB</b>	Directional YAGI Antenna, 10dBi with Tube-End Mounting Kits, 2.4GHz.	1,200,000
<b>SP922-1000</b>	11b Wireless LAN Booster, 1000mW, N-Type Connector, Outdoor.	2,400,000
<b>SP923G-000</b>	11g Wireless LAN Booster, 000mW, SMA Connector, Indoor.	2,000,000
<b>SP922-200E</b>	Wireless LAN Converter, 200mW, Outdoor. 2.4-0.8GHz	4,130,000
<b>SP930C</b>	USB Bluetooth Dongle, Bluetooth 2.0 + EDR, Class 2.	160,000
<b>C920</b>	Lightning Arrester, N Male/Female Connector, 2KW 0. Ohm.	630,000
<b>SP926</b>	0.8M Wireless Media Projector Server, 802.11b/g, Video Streaming, Detachable Antenna.	3,410,000
<b>SP3900</b>	Power over Ethernet Adapter, A Pair of Injector and Splitter, DC 0V Output.	460,000
<b>SP3908</b>	8 Power over Ethernet Adapter, .management, 120w. /DC	4,000,000
<b>SP3924</b>	24-Port Power over Ethernet Midspan,IEEE 802.3AF,400 Watts,Power Management,Redundant Power,Web-Babsed Management.	9,080,000
<b>SP391</b>	PoE Injector/Splitter Kit,DC24V/1A Injector Output,DC0V/1,0A, 2,0V/1,0A, 12V/1,0A Adjustable Splitter Output.	490,000

## **VOIP COMMUNICATION SERVER**

<b>SP0211</b>	VOIP PBX,SIP,100 Subscribers,13 Concurrent Calls,PBX Call Feature,Voice Mail to E-mail,CDR,Auto-Attendant.	6,000,000
<b>SP0210</b>	VoIP Communication Server, Support up to 2,000 Subscribers and 200 Concurrent Calls.	127,400,000

<b>SP0210U</b>	Upgrade License for SP0210, Support up to 20,000 Subscribers and 2000 Concurrent Calls	630,000,000
<b>SP0210K</b>	VoIP Communication Server, Support up to 20,000 Subscribers and 2000 Concurrent Calls.	720,000,000
<b>SP0210S00</b>	VoIP Communication Server, support up to 000 subscribers and 100 concurrent calls.	81,000,000
<b>SP0018A</b>	VoIP FXS/FXO Gateway,SIP,FXS/FXO,WAN/LAN,NAT,Call hold,Call Transfer,Call Forward, Prefix routing,Hunting group,PSTN lifeline.	0,380,000
<b>SP0220</b>	VoIP EMS Server.	72,000,000

### *IP Telephony Gateway*

<b>SP001A</b>	IP Telephony Gateway, 1 FXS port, 1 WAN port and 2 LAN	1,450,000
<b>SP001C/S</b>	IP Telephony Gateway,1 FXS,SIP,G,11A/M-Law and G,29 Codes,Call Features,STUN,QoS,VPN(PPTP CLIENT).	900,000
<b>SP001D/S</b>	IP Telephony Gateway,1 FXS + 1 PSTN,SIP, G,11A/M-Law and G,29 Codecs, Call Features,STUN,QoS,VPN(PPTP Client).	1,150,000
<b>SP002A</b>	VOIP FXO Gateway,2 FXO, H,223, G,11A/M-LAW, G,223,1, G,29,Caller ID,Call Hold,Call Forward,Call Transfer,Speed Dial,Hotline, T,28 FAX,QoS.	2,690,000
<b>SP002</b>	VOIP FXS Gateway,2 FXS, H,223, G,11A/M-law, G,223,1, G,29 Codecs, Caller ID, Call Hold,Call Forward,Call Transfer,Speed Dial,Hotline, T,28 FAX,QoS.	1,745,000
<b>SP0012</b>	IP Telephony Gateway, 1 FXS and 1 FXO ports, 2 10/100M LAN ports, 1 Console Port, H223.	2,350,000
<b>SP0014</b>	VOIP FXS/FXO Gateway,2 FXS,2 FXO, H,223, G,11A/M-law, G,223,1, G,29, Caller ID,Call Hold, Call Forward,Call Transfer,Speed Dial,Hotline, T,28 FAX,QoS.	3,050,000
<b>SP061/A</b>	ADSL2+ VOIP Router, 1 FXS + 1 PSTN,Annex A/M,SIP,Router Functionalities,Firewall,VPN(PPTP/IPSEC) Pass-throu.	1,850,000
<b>SP0014</b>	VOIP FXS Gateway,4 FXS, H,223, G,11A/M-law, G,223,1, G,29 Codecs, Caller ID, Call Hold,Call Forward,Call Transfer,Speed Dial,Hotline,T,28 FAX,QoS.	2,625,000
<b>SP0015A</b>	VoIP FXO Gateway,4 FXO, H,223, G,11A/M-LAW, G,223,1, G,29, Caller ID,CALL HOLD,Call Forward,Call Transfer,Speed Dial,Hotline, T,28 FAX,QoS.	3,320,000

<b>SP0008A</b>	VoIP FXS Gateway, SIP, ^FXS, ^WAN/εLAN, SIP Trunk, Extension Calling, Rich call features, Prefix routing, Operator, DID/DOD, T, 3^.	ε,010,000
<b>SP0008A</b>	VoIP FXO Gateway, SIP, ^FXO, ^WAN/εLAN, NAT, Call hold, Call Transfer, Call forward, Prefix routing, Hunting group.	0,60,000
<b>SP0100</b>	VOIP TELEPHONE WITH PSTN BACKUP, SIP, DUAL MODES (VOIP/PSTN), G, Y11A/M-LAW, G, Y23, 1, AND G, Y29, CALL FORWARD, CALL HOLD, CALL TRANSFER, SPEED DIAL, QoS.	1,ε00,000
<b>SP0101</b>	VoIP Telephone, SIP, Two Lines, G, Y11A/M-LAW, G, Y23, 1, G, Y29, Call Forward, Call Hold, Call Transfer, 3-way Conference, STUN, QoS.	1,200,000
<b>SP0103</b>	VoIP Telephone with PoE, SIP, Two Lines, G, Y11A/M-LAW, G, Y23, 1, G, Y29, Call Forward, Call Hold, Call Transfer, 3-way Conference, STUN, QoS.	1,200,000
<b>SP0106</b>	VoIP Telephone, SIP, two Lines, G, Y11A/M-LAW, G, Y23, 1, G, Y29, Call Forward, Call Hold, Call Transfer, 3-WAY Conference, STUN, QoS.	1,600,000

## **NETWORK STORAGE**

<b>SP811</b>	Network Storage Adapter, 1 10/100M Port, 2 USB 2.0 Interface, Support USB Storage and USB Printer, UPnP, FTP/Samba Server, Utility Management.	1,030,000
--------------	--	-----------

## **MOBILE COMMUNICATION**

<b>SP3100B</b>	GPRS/GSM Modem PC Card, 900/1800/1900 Tri-band, Support Data/Fax/Voice/SMS, External Antenna.	1,890,000
----------------	---	-----------

## **GPS**

<b>SP3130</b>	CF GPS Receiver, with External Antenna, Carrying Case and Suction Cup.	810,000
---------------	--	---------

## **Fax Modem**

<b>SP3008UB</b>	06K Data/Fax Modem, V92, USB.	260,000
-----------------	-------------------------------	---------

## **06KBPS Analog Modem and ISDN**

### **KVM Switch**

<b>SP212EL</b>	2-Port KVM Switch, PS/2, 2 3-in-1 KVM Cables.	310,000
<b>SP212D</b>	2-Port KVM Switch, USB, 2 3-in-1 KVM Cables.	370,000
<b>SP21εD</b>	ε-Port KVM Switch, USB, ε 3-in-1 KVM Cables, ε MIC/Speaker Cables.	7ε0,000

<b>SP214E</b>	4-Port KVM Switch, PS/2, 4 3-in-1 KVM Cables, 4 MIC/Speaker Cables.	670,000
<b>SP214EL</b>	4-Port KVM Switch, PS/2, 4 3-in-1 KVM Cables.	650,000
<b>SP218D</b>	8-Port KVM Switch, Support Computer With PS2 or USB Keyboard Mouse (Optional USB/PS2 Converter).	2,350,000
<b>SP226D</b>	16-Port KVM Switch, Support Computer With PS2 OR USB Keyboard Mouse (Optional USB/PS2 Converter).	4,500,000
<b>SP201-180</b>	KVM Console Extender, PS/2, support distance up to 180M, with 2 * 3-in-1 KVM Cable.	2,880,000
<b>SP1200A</b>	IP KVM Switch, PS/2 Keyboard/Mouse, 10/100M RJ-45 Port, RS232, USB/Remote Storage.	6,950,000
<b>C200k-1</b>	3-in-1 KVM Cable 1.5M, for SP218D/SP226D.	100,000
<b>C200k-3</b>	3-in-1 KVM Cable 3M, for SP218D/SP226D.	115,000
<b>C200G-5</b>	3 in 1 KVM Cable Kit , 1.5 Meters, male to male, for SP218C, 226C	250,000

### **ADSL , VDSL Broadlink Internet**

<b>SP2202A/A</b>	ADSL USB Modem, Annex A.	250,000
<b>SP2206/A</b>	Wireless ADSL Modem Router, 4-Port Switch, 802.11b, Annex A.	800,000
<b>SP2266E</b>	802.11n Wireless ADSL+ Modem Router, 4 10/100M Ports Switch, Annex A.	440,000
<b>SP2262/A</b>	ADSL+ modem router, 1 Ethernet & 1 USB ports, Annex A.	240,000
<b>SP2264F/A</b>	ADSL+ Modem Router, 4-Port Switch & 1 USB Port, Annex A.	410,000
<b>SP882B</b>	Broadband bandwidth Controller, 4-Port Switch, 20 IPSec VPN tunnels, Bandwidth control.	1,880,000
<b>SP880B</b>	Broadband VPN Router with 4-Port Switch 1RS-232 Mode Dial-up Backup	1,080,000
<b>SP891</b>	Broadband Multi-WAN Security Gateway, 4-Port Switch, 2 WAN Ports & Load Balance.	1,600,000

<b>SP3501AM</b>	VDSL CO Modem,QAM 4-Band VDSL, Symmetrical Bandwidth up to 20Mbps, Up to 1,9KM,VDSL Link Fixed/Auto Speed,Built-in Splitter.	1,240,000
<b>SP3501AS</b>	VDSL CO Modem,QAM 4-Band VDSL, Symmetrical Bandwidth up to 20Mbps, Up to 1,9KM,VDSL Link Fixed/Auto Speed,Built-in Splitter.	1,240,000
<b>SP3501BM</b>	VDSL2 CO Modem/Router,ITU-T G993.2,AA,AB,AC,AD,12A,12B,12A,12B,30A Band Profiles,Symmetric Bandwidth Up to 100 Mbps,Built-in Splitter.	1,900,000
<b>SP3501BS</b>	VDSL2 CPE Modem/Router, ITU-T G993.2, AA, AB, AC, AD, 12A, 12B, 12A, 12B, 30A Band Profiles, Symmetric Bandwidth up to 100 Mbps, Built-in Splitter.	1,900,000
<b>SP3501AA</b>	4-Port VDSL Managed Switch, QAM 4-Band VDSL, 2 Gigabit Ethernet Ports, Built-in Splitter, Layer 2 Functionalities.	1,820,000

### ***Ether Fast Media Converter***

<b>SP377C</b>	10/100M Media Converter, RJ45 to 100BaseFX, MT-RJ, Multi-Mode.	1,200,000
<b>SP377E</b>	10/100M Media Converter, RJ45 to Fiber LC, Multi-Mode, 2KM.	900,000
<b>SP377F</b>	10/100M Media Converter, RJ45 to ST, Multi-Mode, 2KM,(Chassis SP382A).	760,000
<b>SP 377G</b>	10/100M Media Converter RJ45 to SC, Multi-Mode, 2KM, (Chassis SP382A).	450,000
<b>SP377G-20</b>	10/100M Media Converter, RJ45 to SC, Single-Mode, 20KM,(Chassis SP382A).	650,000
<b>SP382A</b>	19" Converter Rack with 12 Slots, Redundant Power.	5,700,000
<b>SP1386</b>	Management Converter Chassis, 100-240VAC AC-DC,Redundant Dual Power.	10,070,000
<b>SP1387</b>	Management Converter Chassis, -48VDC DC-DC,Redundant Dual Power.	10,930,000

### ***Ether Fast 1000 Media Converter***

<b>SP362C</b>	1000M Media Converter, RJ45 to SC, Multi-mode, 200M,(Chassis SP382A).	1,080,000
<b>SP362C-10</b>	1000M Media Converter, RJ45 to SC, Single-mode, 10KM,(Chassis SP382A).	1,730,000
<b>SP362C-20</b>	1000M Media Converter, RJ45 to SC, Single-mode, 20KM,(Chassis SP382A).	1,930,000

### ***passive***

<b>SP1111</b>	RJ 45 Plug cat5-e	1,000
<b>SP1113</b>	RJ 45 Plug cat6	2,000

<b>SP1131</b>	Module tool for Cutting/Stripping/Crimping.	180,000
<b>SP1132A</b>	Cabling Stripper and Punch Down Tool for UTP/STP Cable.	32,000
<b>SP1102A</b>	Cable Tester for Thin Coax and UTP/STP Cable.	400,000
<b>SP1161</b>	24-Port CAT 5E Patch Panel, RJ45 Connector of 45 Degree.	360,000
<b>SP1161S</b>	24-port CAT 6 Patch Panel, RJ45 Connectors of 45 Degree.	430,000
<b>SP1162S-1</b>	1-Port Wall Socket, RJ45, Cat 6, 80x80mm.	40,000
<b>SP1162A-1</b>	1-Port Wall Socket, RJ45, 80x80mm.	39,000
<b>SP1162A</b>	Surface Mounted Box for SP1162A / SP1162A-1, 80x80mm.	12,000

### Cable

<b>SP1103E-200</b>	Enhanced CAT 5 FTP Cable, Solid, 200 M.	7,300
<b>SP1103S-200</b>	Cat 6 FTP Solid Cable, 200M.	9,600
<b>SP1101E-200</b>	Enhanced CAT 5 UTP Cable, Solid, 200 M.	0,000
<b>SP1101S-200</b>	CAT 6 UTP Cable, Solid, 200 M.	6,900
<b>SP1102S/P-01</b>	CAT6 UTP Patch Cord, 1M, Plastic Bag.	31,000
<b>SP1102S/P-03</b>	CAT6 UTP Patch Cord, 3M, Plastic Bag.	39,000
<b>SP1102E-01</b>	Enhanced CAT 5E UTP Patch Cable, 1M, plastic Pack.	23,000
<b>SP1102E-03</b>	Enhanced CAT 5E UTP Patch Cable, 3M, plastic Pack.	32,000

This document was created with Win2PDF available at <http://www.daneprairie.com>.  
The unregistered version of Win2PDF is for evaluation or non-commercial use only.